

Bibliografia

Bandini LG., Dietz WH. **Assessment of body fatness in childhood obesity: Evaluation of laboratory and anthropometric techniques.** Journal of the American Dietetic Association, October 1987, Volume 87 No.10, 1344-1348

Cole TJ., Bellizzi MC., Flegal KM., Dietz WH. **Establishing a standard definition for child overweight and obesity worldwide: international survey.** BMJ Volume 320: 1-6 – 6 May 2000

De Lorenzo A., Andreoli A., Sorge R., Bonamico M., Bedogni G., Battistini N., Barra PF. **Comparison of body weight, body height and body fatness of Italian children aged 6-12 years with American standards.** Minerva Pediatrica 1995; Volume 47: 101-6

Deurenberg P., Pieters J.J.L., Hautvast J.G.A. **The assessment of the body fat percentage by skinfold thickness measurements in childhood and young adolescence.** British Journal of Nutrition (1990), 63, 293-303

Hattori K., Becque MD., Katch VL., Rocchini AP. **Fat patterning of adolescents.** Annals of Human Biology, 1987, Vol.14, No.1, 23-28

Lohman TG. **Anthropometric Assessment of Fat-Free Body Mass.** Anthropometric Assessment of Nutritional Status, pages 173-183 – 1991 Wiley-Liss, Inc

Mueller WH., Marbella A., Harrist RB., Kaplowitz HJ., Grunbaum JA., Labarthe DR. **Body Circumferences as Measures of Body Fat Distribution in 10-14 Year-Old Schoolchildren.** American Journal of Human Biology 2: 117-124 – 1990 Wiley-Liss, Inc

National Food and Nutrition Institute Warsaw and Nutrition Unit WHO Regional Office for Europe Copenhagen. **Measuring Obesity – Classification and Description of Anthropometric Data - Report on a WHO Consultation on the Epidemiology of Obesity.** EUR/ICP/NUT 125 0612v - Warsaw 21-23 October 1987

Ravaglia G., Morini P., Forti P., Maioli F., Boschi F., Bernardi M., Gasbarrini G. **Anthropometric characteristics of healthy Italian nonagenarians and centenarians.** British Journal of Nutrition (1997), 77, 9-17

Johnston FE. **Validity of Triceps Skinfold and Relative Weight as Measures of Adolescent Obesity.** Journal of Adolescent Health care 1985; 6; 185-190

Weile B., Bach-Mortensen N., Peitersen B. **Caliper Skinfold Measurements in Newborns: Analysis of a Method.** Biology of Neonate 50: 192-199 (1986)

Weststrate VA., Deurenberg P. **Body composition in children: proposal for a method for calculation body fat percentage from total body density for skinfold-thickness measurements.** American Journal of Clinical Nutrition 1989; 50:1104-15

Wong WW., Cochran WJ., Klish WJ., Smith EO., Lee LS., Fiorotto ML., Klein PD. **Body fat in normal adults estimated by oxygen-18-and deuterium-dilution and by anthropometry a comparison.** European Journal of Clinical Nutrition (1988) 42, 233-242

